JOURNAL OF ZOOLOGY

Volume 258 Index

Abernethy, K. A., White, L. J. T. and Wickings, E. J., Hordes of mandrills (*Mandrillus sphinx*): extreme group size and seasonal male presence 131
Ådnøy, T., see Steinheim, G., Mysterud, A., Holand, Ø., Bakken, M. and Ådnøy, T. 515
Aerts, P., see Nauwelaerts, S. and Aerts, P. 183
Alexander, R. McN., see Pike, A. V. L. and Alexander, R. McN. 427
Alibardi, L., Immunocytochemical analysis of the process of keratinization of the epidermis of snakes 541
Alibhai, S. K. and Jewell, Z. C., Response to Atkinson, du Toit, Radcliffe, Dooley and Kock 279
Andreone, F. and Greer, A. E., Malagasy scincid lizards: descriptions of nine new species, with notes on the morphology, reproduction and taxonomy of some previously described species (Reptilia, Squamata: Scincidae) 139
Arnold, E. N., Azar, D., Ineich, I. and Nel, A., The oldest reptile in amber: a 120 million year old lizard from Lebanon 7
Atkinson, M. W., Toit, R. du, Radcliffe, R. W., Dooley, J. L., Jr. and Kock, M. D., Response to Alibhai, Jewell and Towindo 278
Aulagnier, S., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27
Azar, D., see Arnold, E. N., Azar, D., Ineich, I. and Nel, A. 7

Baird, A., see Laws, R. M., Baird, A. and Bryden, M. M. 197
Bakken, M., see Steinheim, G., Mysterud, A., Holand, Ø., Bakken, M. and Ådnøy, T. 515
Bank, M. S., Sarno, R. J., Campbell, N. K. and Franklin, W. L., Predation of guanacos (*Lama guanicoe*) by southernmost mountain lions (*Puma concolor*) during a historically severe winter in Torres del Paine National Park, Chile 215
Baudinette, R. V., see Shimmin, G. A., Skinner, J. and Baudinette, R. V. 469
Beebee, T. J. C., see Wycherley, J., Doran, S. and Beebee, T. J. C. 479
Bloss, J., see Hood, W. R., Bloss, J. and Kunz, T. H. 355
Bojat, N. C. and Haase, M., Sperm storage in the simultaneously hermaphroditic land snail *Arianta arbustorum* 497
Bontadina, F., Schofield, H. and Naef-Daenzer, B., Radio-tracking reveals that lesser horseshoe bats (*Rhinolophus hipposideros*) forage in woodland 281
Borges, A., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27
Boyd, I. L., The cost of information: should black rhinos be immobilized? 277
Boyle, P. R., see Gowland, F. C., Boyle, P. R. and Noble, L. R. 505
Bozinovic, F., see Fernández, M. J., López-Calleja, M. V. and Bozinovic, F. 319
Bradshaw, F. J., see Bradshaw, S. D. and Bradshaw, F. J. 343
Bradshaw, S. D. and Bradshaw, F. J., Short-term movements and habitat use of the marsupial honey possum (*Tarsipes rostratus*) 343
Brown, G. P. and Shine, R., Reproductive ecology of a tropical natricine snake, *Tropidonophis mairii* (Colubridae) 63
Bryden, M. M., see Laws, R. M., Baird, A. and Bryden, M. M. 197
Burdelova, N. I., see Khokhlova, I. S., Krasnov, B. R., Kam, M., Burdelova, N. I. and Degen, A. A. 349

Campbell, N. K., see Sarno, R. J., see Bank, M. S., Sarno, R. J., Campbell, N. K. and Franklin, W. L. 215
Chen, Z., see Shang, H., Chen, Z. and Song, W. 375
Cope, C., see Herring, P. J., Dilly, P. N. and Cope, C. 73
Creer, D. A., see Losos, J. B., Creer, D. A. and Schulte, J. A., II. 57
Cunha, A. A. and Vieira, M. V., Support diameter, incline, and vertical movements of four didelphid marsupials in the Atlantic forest of Brazil 419

Daugherty, C. H., see Tutt, K., Daugherty, C. H. and Gibbs, G. W. 257
Degen, A. A., see Khokhlova, I. S., Krasnov, B. R., Kam, M., Burdelova, N. I. and Degen, A. A. 349
Delibes, M., see Fernández, N., Palomares, F. and Delibes, M. 1
De Smet, W. H., A new record of *Limnognathia maerski* Kristensen & Funch, 2000 (Micrognathozoa) from the subantarctic Crozet Islands, with redescription of the trophi 381
Dilly, P. N., see Herring, P. J., Dilly, P. N. and Cope, C. 73
Donnelly, M. A., see Watling, J. I. and Donnelly, M. A. 269
Dooley, J. L., Jr., see Atkinson, M. W., Toit, R. du, Radcliffe, R. W., Dooley, J. L., Jr. and Kock, M. D. 278
Doran, S., see Wycherley, J., Doran, S. and Beebee, T. J. C. 479
Dubois, M., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27

Fernández, M. J., López-Calleja, M. V. and Bozinovic, F., Interplay between the energetics of foraging and thermoregulatory costs in the green-backed firecrown hummingbird *Sephanoides sephaniodes* 319
Fernández, N., Palomares, F. and Delibes, M., The use of breeding dens and kitten development in the Iberian lynx (*Lynx pardinus*) 1
Framstad, E., see Selås, V., Framstad, E. and Spidsø, T. K. 459
Franklin, C. E., see Gordos, M. and Franklin, C. E. 335

Franklin, W. L., see Sarno, R. J., see Bank, M. S., Sarno, R. J., Campbell, N. K. and Franklin, W. L. 215

Gerard, J.-F., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27
German, R. Z., see Lammers, A. R. and German, R. Z. 485
Gibbs, G. W., see Tutt, K., Daugherty, C. H. and Gibbs, G. W. 257
Goldsworthy, S. D., see Page, B., Goldsworthy, S. D.,
Gordos, M. and Franklin, C. E., Diving behaviour of two Australian bimodally respiring turtles, *Rheodytes leukops* and *Emydura macquarii*, in a natural setting 335
Gowland, F. C., Boyle, P. R. and Noble, L. R., Morphological variation provides a method of estimating thermal niche in hatchlings of the squid *Loligo forbesi* (Mollusca: Cephalopoda) 505
Greer, A. E., see Andreone, F. and Greer, A. E. 139
Guarino, F., Spatial ecology of a large carnivorous lizard, *Varanus varius* (Squamata: Varanidae) 449

Haase, M., see Bojat, N. C. and Haase, M. 497
Herring, P. J., Dilly, P. N. and Cope, C., The photophores of the squid family Cranchiidae (Cephalopoda: Oegopsida) 73
Hindell, M. A., see Page, B., Goldsworthy, S. D., Hindell, M. A. and Mckenzie, J. 49
Holand, Ø., see Steinheim, G., Mysterud, A., Holand, Ø., Bakken, M. and Ådnøy, T. 515
Hood, W. R., Bloss, J. and Kunz, T. H., Intrinsic and extrinsic sources of variation in size at birth and rates of postnatal growth in the big brown bat *Eptesicus fuscus* (Chiroptera: Vespertilionidae) 355

Ineich, I., see Arnold, E. N., Azar, D., Ineich, I. and Nel, A. 7

Janis, C. M., see Mendoza, M., Janis, C. M. and Palmqvist, P. 223
Jarvis, J. U. M., see Sherman, P. W. and Jarvis, J. U. M. 307
Jewell, Z. C., see Alibhai, S. K. and Jewell, Z. C. 279
Jones, G., see Russo, D. and Jones, G. 91

Kam, M., see Khokhlova, I. S., Krasnov, B. R., Kam, M., Burdelova, N. I. and Degen, A. A. 349
Khokhlova, I. S., Krasnov, B. R., Kam, M., Burdelova, N. I. and Degen, A. A., Energy cost of ectoparasitism: the flea *Xenopsylla ramesis* on the desert gerbil *Gerbillus dasyurus* 349
Kock, M. D., see Atkinson, M. W., Toit, R. du, Radcliffe, R. W., Dooley, J. L., Jr. and Kock, M. D. 278
Krasnov, B. R., see Khokhlova, I. S., Krasnov, B. R., Kam, M., Burdelova, N. I. and Degen, A. A. 349
Krenz, J. D. and Verrell, P. A., Integrity in the midst of sympatry: does sexual incompatability facilitate the coexistence of metamorphic and paedomorphic mole salamanders (*Ambystoma talpoideum*)? 435
Kryštufek, B., Cranial variability in the Eastern hedgehog *Erinaceus concolor* (Mammalia: Insectivora) 365
Kunz, T. H., see Hood, W. R., Bloss, J. and Kunz, T. H. 355

Lacave, G., see Noren, S. R., Lacave, G., Wells, R. S. and Williams, T. M. 105
Lammers, A. R. and German, R. Z., Ontogenetic allometry in the locomotor skeleton of specialized half-bounding mammals 485
Laws, R. M., Baird, A. and Bryden, M. M., Age estimation in crabeater seals (*Lobodon carcinophagus*) 197
Li, D., see Seah, W. K. and Li, D. 531
Loman, J., Temperature, genetic and hydroperiod effects on metamorphosis of brown frogs *Rana arvalis* and *R. temporaria* in the field 115
López-Calleja, M. V., see Fernández, M. J., López-Calleja, M. V. and Bozinovic, F. 319
Losos, J. B., Creer, D. A. and Schulte, J. A., II., Cautionary comments on the measurement of maximum locomotor capabilities 57

Macdonald, D. W., see Valenzuela, D. and Macdonald, D. W. 247
Maheswaran, G. and Rahmani, A. R., Foraging behaviour and feeding success of the black-necked stork (*Ephippiorhynchus asiaticus*) in Dudwa National Park, Uttar Pradesh, India 189
Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L., Population subdivision among mouflon sheep (*Ovis gmelini*) ewes and ranging behaviour of rams during the rut 27
Martins, H., Milne, J. A. and Rego, F., Seasonal and spatial variation in the diet of the wild rabbit (*Oryctolagus cuniculus* L.) in Portugal 395
Massi, A., see Rubolini, D., Massi, A. and Spina, F. 441
Maublanc, M.-L., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27
Mckenzie, J., see Page, B., Goldsworthy, S. D., Hindell, M. A. and Mckenzie, J. 49
Meers, M. B., Cross-sectional geometric properties of the crocodylian humerus: an exception to Wolff's Law? 405
Mendoza, M., Janis, C. M. and Palmqvist, P., Characterizing complex craniodental patterns related to feeding behaviour in ungulates: a multivariate approach 223
Milne, J. A., see Martins, H., Milne, J. A. and Rego, F. 395
Morton, B., The biology and functional morphology of *Humphreyia strangei* (Bivalvia: Anomalodesmata: Clavagellidae): an Australian cemented 'watering pot' shell 11
Mysterud, A., see Steinheim, G., Mysterud, A., Holand, Ø., Bakken, M. and Ådnøy, T. 515

Naef-Daenzer, B., see Bontadina, F., Schofield, H. and Naef-Daenzer, B. 281
Nauwelaerts, S. and Aerts, P., Two distinct gait types in swimming frogs 183
Nel, A., see Arnold, E. N., Azar, D., Ineich, I. and Nel, A. 7
Netto, N. T., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27
Noble, L. R., see Gowland, F. C., Boyle, P. R. and Noble, L. R. 505
Noren, S. R., Lacave, G., Wells, R. S. and Williams, T. M., The development of blood oxygen stores in bottlenose dolphins (*Tursiops truncatus*): implications for diving capacity 105

Page, B., Goldsworthy, S. D., Hindell, M. A. and Mckenzie, J., Interspecific differences in male vocalizations of three sympatric fur seals (*Arctocephalus* spp.) 49
Palmqvist, P., see Mendoza, M., Janis, C. M. and Palmqvist, P. 223
Palomares, F., see Fernández, N., Palomares, F. and Delibes, M. 1
Pike, A. V. L. and Alexander, R. McN., The relationship between limb-segment proportions and joint kinematics for the hind limbs of quadrupedal mammals 427

Radcliffe, R. W., see Atkinson, M. W., Toit, R. du, Radcliffe, R. W., Dooley, J. L., Jr. and Kock, M. D. 278
Rahmani, A. R., see Maheswaran, G. and Rahmani, A. R. 189
Rego, F., see Martins, H., Milne, J. A. and Rego, F. 395
Reilly, J., Growth in the Sumatran elephant (*Elephas maximus sumatranus*) and age estimation based on dung diameter 205
Rubolini, D., Massi, A. and Spina, F., Replacement of body feathers is associated with low pre-migratory energy stores in a long-distance migratory bird, the barn swallow (*Hirundo rustica*) 441
Russo, D. and Jones, G., Identification of twenty-two bat species (Mammalia: Chiroptera) from Italy by analysis of time-expanded recordings of echolocation calls 91

Saito, T., Uchida, I. and Takeda, M., Skeletal growth of the deep-sea hexactinellid sponge *Euplectella oweni*, and host selection by the symbiotic shrimp *Spongicola japonica* (Crustacea: Decapoda: Spongicolidae) 521
Sarno, R. J., see Bank, M. S., Sarno, R. J., Campbell, N. K. and Franklin, W. L. 215
Schofield, H., see Bontadina, F., Schofield, H. and Naef-Daenzer, B. 281
Schulte, J. A., II., see Losos, J. B., Creer, D. A. and Schulte, J. A., II. 57
Seah, W. K. and Li, D., Stabilimentum variations in *Argiope versicolor* (Araneae: Araneidae) from Singapore 531
Selås, V., Framstad, E. and Spidsø, T. K., Effects of seed masting of bilberry, oak and spruce on sympatric populations of bank vole (*Clethrionomys glareolus*) and wood mouse (*Apodemus sylvaticus*) in southern Norway 459
Shang, H., Chen, Z. and Song, W., Species separation among seven *Euplotes* spp. (Protozoa: Ciliophora: Hypotrichida) using PCR/RFLP analysis of nuclear ribosomal DNA 375
Sherman, P. W. and Jarvis, J. U. M., Extraordinary life spans of naked mole-rats (*Heterocephalus glaber*) 307
Shimmin, G. A., Skinner, J. and Baudinette, R. V., The warren architecture and environment of the southern hairy-nosed wombat (*Lasiorhinus latifrons*) 469
Shimmin, G. A., Taggart, D. A. and Temple-Smith, P. D., Mating behaviour in the agile antechinus *Antechinus agilis* (Marsupialia: Dasyuridae) 39
Shine, R., see Brown, G. P. and Shine, R. 63
Skinner, J., see Shimmin, G. A., Skinner, J. and Baudinette, R. V. 469
Song, W., see Shang, H., Chen, Z. and Song, W. 375
Spidsø, T. K., see Selås, V., Framstad, E. and Spidsø, T. K. 459
Spina, F., see Rubolini, D., Massi, A. and Spina, F. 441
Steinheim, G., Mysterud, A., Holand, Ø., Bakken, M. and Ådnøy, T., The effect of initial weight of the ewe on later reproductive effort in domestic sheep (*Ovis aries*) 515

Taggart, D. A., see Shimmin, G. A., Taggart, D. A. and Temple-Smith, P. D. 39
Takeda, M., see Saito, T., Uchida, I. and Takeda, M. 521
Tegelström, H., see Thulin, C.-G. and Tegelström, H. 299
Temple-Smith, P. D., see Shimmin, G. A., Taggart, D. A. and Temple-Smith, P. D. 39
Thulin, C.-G. and Tegelström, H., Biased geographical distribution of mitochondrial DNA that passed the species barrier from mountain hares to brown hares (genus *Lepus*): an effect of genetic incompatibility and mating behaviour? 299
Toit, R. du, see Atkinson, M. W., Toit, R. du, Radcliffe, R. W., Dooley, J. L., Jr. and Kock, M. D. 278
Tokeshi, M., Spatial distribution of a deep-sea crinoid *Pentametrocrinus tuberculatus* in the Izu-Ogasawara Arc, western Pacific 291
Tutt, K., Daugherty, C. H. and Gibbs, G. W., Differential life-history characteristics of male and female *Peripatoides novaezealandiae* (Onychophora: Peripatopsidae) 257

Uchida, I., see Saito, T., Uchida, I. and Takeda, M. 521

Valenzuela, D. and Macdonald, D. W., Home-range use by white-nosed coatis (*Nasua narica*): limited water and a test of the resource dispersion hypothesis 247
Van Damme, R. and Vanhooydonck, B., Speed versus manoeuvrability: association between vertebral number and habitat structure in lacertid lizards 327
Vanhooydonck, B., see Van Damme, R. and Vanhooydonck, B. 327
Verrell, P. A., see Krenz, J. D. and Verrell, P. A. 435
Vicente, L., see Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L. 27
Vieira, M. V., see Cunha, A. A. and Vieira, M. V. 419
Virgós, E., Are habitat generalists affected by forest fragmentation? A test with Eurasian badgers (*Meles meles*) in coarse-grained fragmented landscapes of central Spain 313

Watling, J. I. and Donnelly, M. A., Seasonal patterns of reproduction and abundance of leaf litter frogs in a Central American rainforest 269
Wells, R. S., see Noren, S. R., Lacave, G., Wells, R. S. and Williams, T. M. 105
White, L. J. T., see Abernethy, K. A., White, L. J. T. and Wickings, E. J. 131
Wickings, E. J., see Abernethy, K. A., White, L. J. T. and Wickings, E. J. 131
Williams, T. M., see Noren, S. R., Lacave, G., Wells, R. S. and Williams, T. M. 105
Wycherley, J., Doran, S. and Beebee, T. J. C., Frog calls echo microsatellite phylogeography in the European pool frog (*Rana lessonae*) 479